Client/Matter: 081627-0306318

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A tool box comprising:

a base having a bottom and side walls;

a cover having a top and side walls, the cover being movably mounted to the base to move between a closed position and an open position, wherein the base and the cover define a storage compartment therein and one of the side walls of the cover has a light permeable lens member mounted therein;

a carrying handle mounted on the cover; and

a light mounted in the storage compartment including a power source and an illumination device, wherein the illumination device is oriented toward the light permeable lens member.

2. (Currently Amended) The tool box of claim 1 A tool box comprising:

a base having a bottom and side walls;

a cover having a top and side walls, the cover being movably mounted to the base to move between a closed position and an open position, wherein the base and the cover define a storage compartment therein and one of the side walls has a light permeable member;

a carrying handle mounted on the cover; and

a light including a power source and an illumination device, wherein the light is movably mounted in the cover on an articulated support such that the light is movable between a first position directed to the light permeable lens member and a second position directed within the base.

3. (Original) The tool box of claim 2, wherein the articulated support is a pivot.

Client/Matter: 081627-0306318

4. (Original) The tool box of claim 2, wherein the articulated support includes a plurality of discrete support points that allow selective positioning of the light at a plurality of angles with respect to the cover.

- 5. (Original) The tool box of claim 2, wherein the cover has a locking formation disposed adjacent to the articulated support that releasably receives the light to lock it in the first position.
- 6. (Original) The tool box of claim 1, wherein the light includes a battery compartment and a battery compartment cover.
- 7. (Original) The tool box of claim 1, wherein the base and cover are made of plastic.
- 8. (Original) The tool box of claim 1, further comprising a latch mounted between the cover and the base for releasably securing the cover to the base.
- 9. (Original) The tool box of claim 1, further comprising a handle mounted to the cover.
- 10. (Original) The tool box of claim 1, wherein the cover has at least one compartment with a cover that is accessible from the exterior of the tool box.
- 11. (Currently Amended) A container comprising:

a bottom wall;

a top wall;

an outer side walls extending between the bottom wall and the top wall to form a fully contained an interior storage compartment, wherein at least one of the outer side walls has a light transmitting opening therethrough region; and

a light mounted within the interior storage compartment <u>and</u> including a power source and an illumination device, the illumination device being positioned at the light transmitting opening movable between a position in which the illumination device directs light through the light transmitting region and a position in which the illumination device directs light into the interior storage compartment.

12. (Currently Amended) The container of claim 11 A container comprising:

a bottom wall;

a top wall;

Client/Matter: 081627-0306318

outer side walls extending between the bottom wall and the top wall to form an interior storage compartment, wherein the outer side walls have a light transmitting region; and

a light mounted to one of the walls within the interior storage compartment, said light including a power source and an illumination device, further comprising an articulated support coupled to the light such that the light may be moved from a first position directed at the light transmitting opening region to a second position directed within the interior storage compartment.

- 13. (Original) The container of claim 12, wherein the articulated support is mounted to the top wall.
- 14. (Currently Amended) The container of claim 11, wherein the light transmitting opening is sealed by a light permeable lens member.
- 15. (Currently Amended) The container of claim 11, wherein the top wall compartment and a portion of the outer side wall forms a cover, and the bottom wall compartment and the remaining portion of the outer side wall forms a base.
- 16. (Original) The container of claim 15, wherein the cover has an articulated support to which the light is mounted for movement.
- 17. (Original) The container of claim 11, further comprising a removable storage tray.
- 18. (Currently Amended) The container of claim 11, wherein the top wall compartment includes storage compartments with covers.
- 19. (Currently Amended) The container of claim 11, further comprising a handle mounted to the top wall compartment.
- 20. (Currently Amended) The container of claim 11, wherein the side wall includes an upper side wall and a lower side wall, and a latch removably connects the upper side wall to the lower side wall top compartment to the bottom compartment.
- 21. (New) A container comprising:
 - a base having a bottom and lower side walls defining a container;
- a cover having a top and upper side walls, said cover being pivotable about a horizontal axis with respect to the base;
 - a light transmitting opening formed in at least one of the upper side walls;

Client/Matter: 081627-0306318

a light pivotally attached to the cover and adapted to be movable between a first position directed toward the light transmitting opening and a second position directed away from the light transmitting opening and toward the base.

- 22. (New) A container with an open state and a closed state comprising:
 - an interior storage compartment;
 - a light mounted within the interior storage compartment;
- a support for the light adapted to position the light in a first position, in which illumination from the light is directed externally from the container when the container is in the closed state, and in a second position, in which illumination from the light can be directed internally into the container when the container is in the open state.
- 23. (New) The container of claim 21, further including a lock for locking the cover to the base.